

## Minicylinders - Series 16 - 23 - 24 - 25

Product code: 16N1A08A050

#### Datasheet creation date: 07/03/2025 17:59

Check the most updated document online 🖄 <u>click here</u>








#### TECHNICAL DATA

| Series (mm)        | 16   |
|--------------------|--|
| Bore (mm)          | 8  |
| Version            | N = standard   |
| Operation          | 1 = single effect, front spring                          |
| Materials          | A = rolled stainless steel stem - stainless steel jacket |
| Construction       | A = ring nut V + stem nut U                              |
| Stroke type        | standard   |
| Stroke (mm)        | 50   |
| Rod seals material | = standard   |
| Extended rod (mm)  | 0  |



# Minicylinders - Series 16 - 23 - 24 - 25

Product code: 16N1A08A050



### DIMENSIONS

| EW (mm)  | 8        |
|----------|----------|
| KW (mm)  | 7        |
| BE       | M12x1,25 |
| кк       | M4x0.7   |
| ØCD (mm) | 4        |
| D1 (mm)  | 9.3      |
| EE       | M5       |
| ØD2 (mm) | 4        |
| L1 (mm)  | 136.0    |
| XC (mm)  | 114      |
| L2 (mm)  | 96.0     |
| AM (mm)  | 12       |
| L3 (mm)  | 10       |
| L4 (mm)  | 4.5      |
| L5 (mm)  | 12       |
| L (mm)   | 6        |
| WF (mm)  | 16       |
| L6 (mm)  | 9        |
| L7 (mm)  | 28       |
| KV (mm)  | 19       |
| SW (mm)  | -        |
| D (mm)   | 15.0     |
| D3 (mm)  | 15       |