

Compact cylinder multiposition version - Series 32

Product code: 32M2A040A135/160N

Datasheet creation date: 08/03/2025 10:41

Check the most updated document online 🖄 <u>click here</u>






TECHNICAL DATA

Series	32	
Version	M=male rod thread	
Materials	A = anodized aluminium profile, end blocks and piston	
Diameter (mm)	40	



Compact cylinder multiposition version - Series 32

Product code: 32M2A040A135/160N



Г

DIMENSIONS

A (mm) 19 AF (mm) 13 BG (mm) 21.5 ØD (mm) 12 D2 (mm) 35 D3 (mm) 29 D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2 T2 (mm) 2.5		
BG (mm) 21.5 ØD (mm) 12 D2 (mm) 35 D3 (mm) 29 D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	A (mm)	19
ØD (mm) 12 D2 (mm) 35 D3 (mm) 29 D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	AF (mm)	13
D2 (mm) 35 D3 (mm) 29 D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	BG (mm)	21.5
D3 (mm) 29 D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	ØD (mm)	12
D4 (mm) 9 E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	D2 (mm)	35
E (mm) 57.0 EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 10 RT M6 T1 (mm) 2	D3 (mm)	29
EE G1/8 E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	D4 (mm)	9
E1 (mm) 0.0 H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	E (mm)	57.0
H (mm) 86 H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	EE	G1/8
H1 (mm) 93 H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	E1 (mm)	0.0
H2 (mm) 48.2 KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	H (mm)	86
KF M8 KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	H1 (mm)	93
KK M10X1.25 LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	H2 (mm)	48.2
LA (mm) 5 PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	KF	M8
PL (mm) 7.6 SW1 (mm) 10 RT M6 T1 (mm) 2	кк	M10X1.25
SW1 (mm) 10 RT M6 T1 (mm) 2	LA (mm)	5
RT M6 T1 (mm) 2	PL (mm)	7.6
T1 (mm) 2	SW1 (mm)	10
	RT	M6
T2 (mm) 2.5	T1 (mm)	2
	T2 (mm)	2.5
TG (mm) 38.0	TG (mm)	38.0