

# Stainless steel Cylinders (DIN/ISO 6431 - Series 90

Product code: 90M2A040A0055V

#### Datasheet creation date: 07/03/2025 17:15

Check the most updated document online 🖄 <u>click here</u>






#### TECHNICAL DATA

| Series          | 90   |
|-----------------|--|
| Diameter (mm)   | 40   |
| Version         | M = standard magnetic                              |
| Operation       | 2 = double-acting (front and rear cush.)           |
| Materials       | A = stainless steel AISI 316 (SS 2343), joints NBR |
| Construction    | A = standard                                       |
| Stroke type     | variable   |
| Stroke (mm)     | 55   |
| rod seals viton | V = rod seals in viton                             |



### Stainless steel Cylinders (DIN/ISO 6431 - Series 90 Product code: 90M2A040A0055V



## DIMENSIONS

| A (mm)  | 24       |
|---------|----------|
| B (mm)  | 35       |
| BG (mm) | 16       |
| BF (mm) | 10       |
| E (mm)  | 55       |
| EE      | G1\4     |
| G (mm)  | 31.5     |
| кк      | M12x1,25 |
| L (mm)  | 105      |
| MM (mm) | 16       |
| N (mm)  | 5.5      |
| PL (mm) | 16       |
| RT (mm) | M6       |
| R1 (mm) | 70       |
| R2 (mm) | 21       |
| SW (mm) | 13       |
| T (mm)  | M6       |
| TG (mm) | 38.0     |
| VA (mm) | 4        |
| VD (mm) | 22       |
| WH (mm) | 30       |
| ZM (mm) | 165      |