

## Short stroke magnetic cylinders - Series QP-QPR

Product code: QP2A063A020V

Datasheet creation date: 10/03/2025 00:04

Check the most updated document online 3 click here










## TECHNICAL DATA

| Series          | QP = standard              |
|-----------------|----------------------------|
| Diameter (mm)   | 63                         |
| Operation       | 2=double-acting            |
| Materials       | A = rolled stainless steel |
| Construction    | A = standard               |
| Stroke type     | N = standard               |
| Stroke (mm)     | 20                         |
| Atex            | No Atex                    |
| Rod lenght (mm) | 0                          |



## Short stroke magnetic cylinders - Series QP-QPR

Product code: QP2A063A020V



## **DIMENSIONS**

| A (mm)   | 80.0  |
|----------|-------|
| B (mm)   | 62.0  |
| B1 (mm)  | 60    |
| B2 (mm)  | 61    |
| Ø C (mm) | 20    |
| D (mm)   | 88.00 |
| E (mm)   | 80.00 |
| G (mm)   | 49.5  |
| G1 (mm)  | 50.1  |
| H1 (mm)  | 13.0  |
| H (mm)   | 13.0  |
| J (mm)   | 8.5   |
| J1       | M12   |
| K (mm)   | 15.0  |
| L (mm)   | 8.5   |
| L1 (mm)  | 31.5  |
| M (mm)   | 13.5  |
| M1 (mm)  | 9.0   |
| N (mm)   | 54.0  |
| N1 (mm)  | -     |
| Ø O (mm) | 50    |
| P        | M8    |
| Q        | G1/4  |

| R (mm)    | 60.0  |
|-----------|-------|
| R1 (mm)   | 62.00 |
| R2 (mm)   | 61    |
| SW (mm)   | 17    |
| T (mm)    | 4.0   |
| U (mm)    | -     |
| V (mm)    | 48.00 |
| AA (mm)   | 12    |
| BB (mm)   | 8.5   |
| Ø CC (mm) | 14.0  |
| Ø DD (mm) | 9.0   |
| EE (mm)   | 15.0  |
| FF        | M6    |
| LL (mm)   | 62.0  |
| MM (mm)   | 80.0  |
| NN (mm)   | 80    |
| RR (mm)   | 62.0  |
| VV (mm)   | -     |
| Z (mm)    | 8.5   |