

## Short stroke magnetic cylinders - Series QP-QPR

Product code: QPR3A100A010

Datasheet creation date: 09/03/2025 23:28

Check the most updated document online [click here](#)



### TECHNICAL DATA

<b>Series</b>	QPR = anti-rotation
<b>Diameter (mm)</b>	100
<b>Operation</b>	3=double-acting through rod
<b>Materials</b>	A = rolled stainless steel
<b>Construction</b>	A = standard
<b>Stroke type</b>	N = standard
<b>Stroke (mm)</b>	10
<b>Atex</b>	No Atex
<b>Rod lenght (mm)</b>	0

## Short stroke magnetic cylinders - Series QP-QPR

Product code: QPR3A100A010



### DIMENSIONS

<b>A (mm)</b>	117.0
<b>B (mm)</b>	94.0
<b>B1 (mm)</b>	-
<b>B2 (mm)</b>	94
<b>Ø C (mm)</b>	25
<b>D (mm)</b>	123.50
<b>E (mm)</b>	117.00
<b>G (mm)</b>	68.5
<b>G1 (mm)</b>	-
<b>H1 (mm)</b>	20.3
<b>H (mm)</b>	20.3
<b>J (mm)</b>	M12
<b>J1</b>	M12
<b>K (mm)</b>	17.0
<b>L (mm)</b>	10.5
<b>L1 (mm)</b>	31.5
<b>M (mm)</b>	16.0
<b>M1 (mm)</b>	10.5
<b>N (mm)</b>	80.5
<b>N1 (mm)</b>	95.5
<b>Ø O (mm)</b>	80
<b>P</b>	M16
<b>Q</b>	G3/8

<b>R (mm)</b>	94.0
<b>R1 (mm)</b>	-
<b>R2 (mm)</b>	94
<b>SW (mm)</b>	22
<b>T (mm)</b>	4.0
<b>U (mm)</b>	-
<b>V (mm)</b>	65.00
<b>AA (mm)</b>	15
<b>BB (mm)</b>	10.0
<b>Ø CC (mm)</b>	16.5
<b>Ø DD (mm)</b>	11.0
<b>EE (mm)</b>	17.0
<b>FF</b>	M8
<b>LL (mm)</b>	94.0
<b>MM (mm)</b>	115.0
<b>NN (mm)</b>	115
<b>RR (mm)</b>	94.0
<b>VV (mm)</b>	-
<b>Z (mm)</b>	16.5