



CE DECLARATION
OF CONFORMITY

Codice
86-3620-0014 rev.A

Pag. 1 di 3



The undersigned, representative of the following manufacturer

Camozzi spa

Via Eritrea, 20/1
25126 Brescia – Italy
Tel: +39 030 37921
Fax: +39 030 2400464
E-mail: info@camozzi.com
<http://www.camozzi.com>

herewith declares that the product:

PNEUMATICALLY OPERATED VALVES SERIES 'NA' (NAMUR)

(see a detailed identification of the models on page 3)

results to be in conformity with the provisions of the following European Community's directive:

**94/9/CE
(ATEX)**

DIRECTIVE OF THE EUROPEAN PARLIAMENT AND THE COUNCIL
OF 23 MARCH 1994 ON THE APPROXIMATION OF THE LAWS OF THE
MEMBER STATES CONCERNING EQUIPMENT AND PROTECTIVE SYSTEMS
INTENDED FOR USE IN POTENTIALLY EXPLOSIVE ATMOSPHERES

and that all standards and/or technical specifications indicated on page 2 have been applied.

ATEX Marking:  II 2 GD c T5 T100°C -20°C ≤ T_a ≤ 60°C

Brescia, 16/12/2004

CAMOZZI SPA

Camozzi Giovanni

	CE DECLARATION OF CONFORMITY	Codice 86-3620-0014 rev.A
		Pag. 2 di 3

Reference relative to the standards and/or technical specifications, or parts of these, used for the present declaration of compliance:

Harmonised Standards:

Nr	Date of issue	Title	Parts
UNI EN 1127-1	February 2001	Explosive atmospheres - Explosion prevention and protection - Basic concepts and methodology	All
UNI EN 13463-1	March 2003	Non-electrical equipment for potentially explosive atmospheres - Basic method and requirements	All

Other standards and /or technical specifications:

Nr	Date of issue	Title	Parts
prEN 13463-5	May 2003	Non-electrical equipment intended for use in potentially explosive atmospheres. Part 5: Protection by constructional safety "c"	All
UNI EN 983	July 1997	Safety of machinery. Safety requirements regarding systems and their components for hydraulic and pneumatic transmissions. Pneumatics.	All



**CE DECLARATION
OF CONFORMITY**

Codice
86-3620-0014 rev.A

Pag. 3 di 3

Electropneumatically operated valves (Series NA)

Identification of the models

(the values in the first column are examples)

Code example: NA54-15-02EX-U77EX

Camozzi Code	Series	
NA	Series	
5	N° Ways/Positions	2 = 3/2 4 = 3/2 N.O. 5 = 5/2 6 = 5/3 C.C. 7 = 5/3 C.O. 8 = 5/3 C. pressure centres
4	Ports	4 = G1/4
15	Actuation	11 = double solenoid 15 = single solenoid, spring return 33 = pneumatic – pneumatic 35 = pneumatic - spring
02	Solenoid interface	02 = mech. solenoids 22 x 22
EX	ATEX certified product	
U77EX	Solenoid voltage	This code has to be added in case the valve is already completely supplied with solenoid (refer to the solenoid codes) NB: the resulting ATEX classification has to consider the highest category regarding the risk to cause explosions