

Subject: Supplier Declaration of Conformance to Directive 2011/65/EU on restriction of use of certain hazardous substances in electrical and electronic equipment, recasted after Commission Delegated Directive (EU) 2015/863, Commission Delegated Directive (EU) 2018/739, Commission Delegated Directive (EU) 2018/740, Commission Delegated Directive (EU) 2018/741

Camozzi Automation Spa declares that the "homogeneous materials" used in the products listed below are in compliance with requirements of directive

2011/65/EU

Particularly some components of this product are included in 2011/65/UE-Annex III-Application exempted from the restriction in Article 4 (1) - Exemption:

- 6(a) Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight
- 6(b) Lead as an alloying element in aluminium containing up to 0,4 % lead by weight
- 6(c) Copper alloy containing up to 4 % lead by weight

Camozzi series	Camozzi commercial code	Restricted substance contained	Exemption	Material containing restricted substances
Foot mount Mod. B	B-12-16 B-20-25 B-27-20 B-27-25 B-27-32 B-27-50 B-27-63 B-31-100 B-31-12-16 B-31-25 B-31-32 B-31-40 B-31-50 B-31-63 B-31-80 B-32-20 B-41-100 B-41-125 B-41-160 B-41-200 B-41-32 B-41-40 B-41-50 B-41-63 B-41-80 B-8-10 B-QP-100 B-QP-32 B-QP-40 B-QP-50 B-QP-63 B-QP-80	None	None	None

Counter bracket for centre trunnion Mod. BF	BF-100-125 BF-160-200 BF-32 BF-40-50 BF-63-80	LEAD (CAS N° 7439-92-1)	0,4%	Aluminium Alloy
Front or rear female trunnion Mod. C, H and C-H	C-31-100 C-31-32 C-31-40 C-31-50 C-31-63 C-31-80 C-41-32 C-41-40 C-41-50 C-H-41-100 C-H-41-125 C-H-41-160 C-H-41-200 C-H-41-63 C-H-41-80	LEAD (CAS N° 7439-92-1)	0,2% 3,5%	Aluminium Alloy Brass
Flange Mod. D-E	D-E-31-100 D-E-31-12-16 D-E-31-32 D-E-31-40 D-E-31-50 D-E-31-80 D-E-32-20 D-E-32-25 D-E-41-100 D-E-41-125 D-E-41-160 D-E-41-200 D-E-41-250 D-E-41-32 D-E-41-40 D-E-41-50 D-E-41-63 D-E-41-80	LEAD (CAS N° 7439-92-1)	0,2%	Aluminium Alloy
Flange Mod. DC	DC-31-12-16 DC-31-20 DC-31-25 DC-31-32 DC-31-40 DC-31-50 DC-31-63 DC-31-80	None	None	None
Flange Mod. DC	DC-63-32 DC-63-40 DC-63-50 DC-63-63 DC-63-80 DC-63-100	LEAD (CAS N° 7439-92-1)	0,4%	Aluminium Alloy

	DC-63-125			
Centre trunnion Mod. F	F-32 F-40 F-50 F-63 F-80 F-100 F-125 F-160 F-200 F-61-32 F-61-40 F-61-50 F-61-63 F-61-80 F-61-100 F-61-125 F-41-160 F-41-200 F-63-40 F-63-50 F-63-63 F-63-80 F-63-125	None	None	None
Spot faced trunnion Mod. FN	FN-100 FN-125 FN-32 FN-40 FN-50 FN-63 FN-80	None	None	None
Rod fork end Mod. G	G-8-10 G-12-16 G-20 G-25-32 G-40 G-50-63 G-80-100 G-160-200	LEAD (CAS N° 7439-92-1)	0,35%	Steel
Swivel ball joint Mod. GA	GA-8-10 GA-12-16 GA-20 GA-32 GA-40	LEAD (CAS N° 7439-92-1)	0,35%	Steel
Swivel ball joint Mod. GA	GA-50-63 GA-80-100 GA-160-200 GA-250 GA-41-125	None	None	None
Self aligning rod Mod. GK	GK-20 GK-25-32	LEAD (CAS N° 7439-92-1)	0,35%	Steel

	GK-40 GK-50-63 GK-80-100			
Coupling piece Mod. GKF	GKF-20 GKF-25-32 GKF-40 GKF-50-63 GKF-80-100 GKF-125	None	None	None
Piston rod socket joint Mod. GY	GY-12-16 GY-20 GY-32 GY-40 GY-50-63 GY-80-100	None	None	None
Front trunnion (female) Mod. H	H-41-32 H-41-40 H-41-50 H-60-63	LEAD (CAS N° 7439-92-1)	0,2% 3,5%	Aluminium Alloy Brass
Trunnion bracket Mod. I	I-8-10 I-12-16 I-20-25 I-27-20 I-27-25 I-27-32 I-27-40 I-27-50 I-27-63 I-42-32 I-42-40 I-42-50 I-42-63	None	None	None
Rear trunnion male Mod. L	L-31-12-16 L-31-20 L-31-25 L-32-20 L-32-25 L-41-100 L-41-125 L-41-160 L-41-200 L-41-32 L-41-40 L-41-50 L-41-63 L-41-80 L-QP-100 L-QP-32 L-QP-40 L-QP-50	LEAD (CAS N° 7439-92-1)	0,2% 3,5%	Aluminium Alloy Brass

	L-QP-80			
Foot mount Mod. P	P-42-32 P-42-40 P-42-50 P-42-63	None	None	None
Accessory to mount valves on the cylinder Mod. PCV	PCV-61-K3 PCV-61-K4 PCV-61-K8 PCV-62-K3 PCV-62-K4 PCV-62-K8 PCV-62-KEN	LEAD (CAS N° 7439-92-1)	3,5%	Brass
Trunnion ball-joint Mod. R	R-41-32 R-41-40 R-41-50 R-41-63 R-41-80 R-41-100 R-41-125	LEAD (CAS N° 7439-92-1)	0,2%	Aluminium Alloy
Series RL rod lock	RLC-24-20 RLC-24-25 RLC-41-32 RLC-41-40 RLC-41-50 RLC-41-63 RLC-41-80 RLC-41-100	LEAD (CAS N° 7439-92-1)	3,5%	Brass
Clevis pin Mod. S	S-32 S-40 S-50 S-63 S-80 S-100 S-125 S-160-200	None	None	None
Threaded trunnion pin Mod. T	T-27-50 T-27-63 T-42-32 T-42-40 T-42-50 T-42-63	None	None	None
90° male trunnion Mod. ZC	ZC-32 ZC-40 ZC-50 ZC-63 ZC-80 ZC-100 ZC-125	LEAD (CAS N° 7439-92-1)	0,2	Aluminium Alloy

Camozzi Automation hereby certifies that heavy metals such as lead, mercury, cadmium, hexavalent chromium and poly brominated biphenils and poly brominated diphenils ethers were not used as intentional ingredients in the



Automation

production of the products listed above. In addition the composition of raw materials used in production of these products were reviewed for any known presence of residual heavy metals, PBBs and PBDEs and none above the current RoHS limits was found.

Restricted Phthalates contained in the following list: Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), are not intentionally added by Camozzi Automation's suppliers, any presence of these substances is not foreseen in our products.

The Declaration of Conformity to the Directive and expiry date of exemptions is responsibility of the producer of the equipment which is part of the Categories mentioned in the scope of directive.

Brescia, 2024/02/29th

Camozzi Automation SPA
Product Certification Manager
Guerrini Fabrizio

Camozzi Automation S.p.A.
Società Unipersonale
SEDE LEGALE
Via R. Rubattino, 81
20134 Milano
Italia
www.camozzi.com

SEDE OPERATIVA
Via Eritrea, 20/I
25126 Brescia
Italia
Tel. +39 030 37921
info@camozzi.com

Capitale Sociale € 15.600.000,00 i.v.
Sede Legale: Milano
REA C.C.I.A.A. MI-1575774
C.F. - Reg. Impr. Milano Monza Brianza Lodi 03207930177
P.IVA IT 03207930177
Società soggetta all'attività di direzione
e coordinamento di Camozzi Group S.p.A.

