

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2124311-2
Report Reference MH64041-20210330
Date 9-Nov-2021

Issued to: Camozzi Automation S.p.A
Via Eritrea 20/I Brescia, BS
Italy 25126

This is to certify that representative samples of YIOZ2 - Valves, Electrically Operated - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 429, 7th Ed., Issue Date: 2013-11-06, Revision Date: 2020-01-16

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2124311-2
Report Reference MH64041-20210330
Date 9-Nov-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D , Closed End Plate set - Cat. Nos. D , , followed by AM , followed by 4 , followed by 0 , followed by -, followed by RT .	General-purpose valve
D , Closed End Plate set - Cat. Nos. D , , followed by AM , followed by 1 , followed by 0 , followed by -, followed by RT .	General-purpose valve
D , Compressed Air Supply module - Cat. Nos. D , , followed by AM , followed by 1 or 2 , followed by 0 , followed by K0 , KC , KD , KE or KF .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 4 , followed by S , followed by -, followed by T , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 4 , followed by S , followed by -, followed by XC , XS or XH , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 1 , 2 or 5 , followed by S , followed by -, followed by A , B , C , D , N , M or T , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 1 or 2 , followed by S , followed by -, followed by Q , R , S , QT , RT , ST , QH , RH , SH , X , XH or XT , followed by -, followed by C , D , E or F , may be followed by T .	General-purpose valve
Manifold valve assembly (Solenoid Valve with Fittings and manifold) Cat. Nos. DCA or DCB , may be followed by 1 , 2 or 4 , may be followed by E , 3 , C or P , may be followed by P , R or 0 , may be followed by A or B , may be followed by -, may be followed by 1 to 19 digits chosen among: M , B , C , A , G , V , K , N , L , X , Y , MZ , BZ , CZ , AZ , GZ , VZ , KZ or NZ , may be followed by -, may be followed by 1 to 19 digits chosen among: T , A , B , D , E , F , L , X or Y , may be followed by -, may be followed by T , C , CS , D , DS , E , ES , F , FS , G or GS , may be followed by L or R , may be followed by -, may be followed by R .	General-purpose valve
D , Multi Pole Electrical Connection module - Cat. Nos. D , , followed by AM , followed by 4 , followed by T , followed by -, followed by M , or Q , 01 , 02 , 03 , 04 , 05 , 06 or 07 , followed by 0 or W .	General-purpose valve

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2124311-2
Report Reference MH64041-20210330
Date 9-Nov-2021

D , Multi Pole Electrical Connection module - Cat. Nos. D, , followed by AM, followed by 1 or 2, followed by T, followed by -, followed by M, or Q, 01, 02, 03, 04, 05, 06 or 07, followed by 0 or W.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 1, 2 or 4, followed by E, 3, C or P, followed by VA, followed by -, followed by M, B, P, Q, C, A, G, N, V or K, followed by P, R or 0, followed by -, followed by T, A, B, D, E, F, may be followed by S.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 4, followed by E, followed by VC, followed by -, followed by M, B,C, A, G, V, K or N.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 1, or 2, followed by E, followed by VC, followed by -, followed by M, B, C, A, G, V, K or N, followed by P or R.	General-purpose valve
PRE	General-purpose valve
D , Series D1, Type no. DM, f/b C, f/b 1, f/b 01, 03, 04, 05, 06 or 07, f/b 0 or W, f/b P or R, f/b A or B, f/b -, may be f/b: a digit from 1 to 9, may be f/b 0, A, B, C, D, E, F, G, H, L, M, Q or R. f/b -, may be f/b: a digit from 1 to 9, may be f/b A or B, may be f/b Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b C or CS, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
D , Series D4, Type no. DM, f/b C, f/b 4, f/b 01, 03, 04, 05, 06, 07, f/b 0 or W, f/b P or R, f/b A, B, C or D, f/b -, may be f/b: a digit from 1 to 9, may be f/b 0, A, B, C, D, E, F, G, H, L, M, Q or R. f/b -, may be f/b: a digit from 1 to 9, may be f/b K, C, D, E or F, may be f/b Q, R, S, X, XS or XH. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b K, D, E, F or G, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
D , Series D1, Type no. DM, f/b C, f/b 1, f/b M or Q, f/b 0 or W, f/b P or R, f/b A or B, f/b -, f/b 0, 03R, 05R, 10R, 15R, 20R or 25R, f/b -, may be f/b: a digit from 1 to 9, may be f/b A or B, may be f/b Q, R, S, QT, RT, ST, X, XH or XT. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b C or CS, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2124311-2
Report Reference MH64041-20210330
Date 9-Nov-2021

<p>D, Series D4, Type no. DM, f/b C, f/b 4, f/b M or Q, f/b 0 or W, f/b P or R, f/b A, B, C or D, f/b -, f/b 0, 03R, 05R, 10R, 15R, 20R or 25R, f/b -, may be f/b: a digit from 1 to 9, may be f/b K, C, D, E or F, may be f/b Q, R, S, X, XS or XH. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b K, D, E, F or G, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).</p>	General-purpose valve
<p>Series D2, Type no. DM, , followed by C, followed by 2, followed by 01, 03, 04, 05, 06 or 07, followed by 0 or W, followed by P or R, followed by A or B, followed by -, may be followed by: a digit from 1 to 9, may be followed by 0, A, B, C, E, F, G, H, L, M, Q, R, T or U. followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C or D, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).</p>	General-purpose valve
<p>Series D5, Type no. DM, , followed by C, followed by 5, followed by 01, 03, 04, 05, 06, 07, followed by 0 or W, followed by P or R, followed by A or B, followed by -, may be followed by: a digit from 1 to 9, may be followed by 0, A, B, C, E, F, G, H, L, M, Q, R, T or U. followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C, D, N or M, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by C, D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).</p>	General-purpose valve
<p>Series D2, Type no. DM, , followed by C, followed by 2, followed by M or Q, followed by 0 or W, followed by P or R, followed by A or B, followed by -, followed by 0, 03R, 05R, 10R, 15R, 20R or 25R, followed by -, may be followed by: a digit from 1 to 9, may be followed by A or B, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).</p>	General-purpose valve



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2124311-2
Report Reference MH64041-20210330
Date 9-Nov-2021

Series D5, Type no. DM, , followed by C, followed by 5, followed by M or Q, followed by 0 or W, followed by P or R, followed by A or B, followed by -, followed by 0, 03R, 05R, 10R, 15R, 20R or 25R, followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C, D, N or M, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by C, D, E or F, may be followed by S, may be followed by R. (Note items after ‘:’ may be repeated as many times as the number of modules used to compose the assembly).

General-purpose valve



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119953-2
Report Reference MH64041-20210330
Date 9-Nov-2021

Issued to: Camozzi Automation S.p.A
Via Eritrea 20/I Brescia, BS
Italy 25126

**This is to certify that
representative samples of**

YIOZ8 - Valves, Electrically Operated Certified for Canada -
Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 No. 139-2019, 5th Ed., Issued 1 Dec 2019

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119953-2
Report Reference MH64041-20210330
Date 9-Nov-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D , Closed End Plate set - Cat. Nos. D , , followed by AM , followed by 4 , followed by 0 , followed by -, followed by RT .	General-purpose valve
D , Closed End Plate set - Cat. Nos. D , , followed by AM , followed by 1 , followed by 0 , followed by -, followed by RT .	General-purpose valve
D , Compressed Air Supply module - Cat. Nos. D , , followed by AM , followed by 1 or 2 , followed by 0 , followed by K0 , KC , KD , KE or KF .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 4 , followed by S , followed by -, followed by T , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 4 , followed by S , followed by -, followed by XC , XS or XH , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 1 , 2 or 5 , followed by S , followed by -, followed by A , B , C , D , N , M or T , followed by -, may be followed by T .	General-purpose valve
D , Manifold (Sub-base) - Cat. Nos. D , , followed by AM , followed by 1 or 2 , followed by S , followed by -, followed by Q , R , S , QT , RT , ST , QH , RH , SH , X , XH or XT , followed by -, followed by C , D , E or F , may be followed by T .	General-purpose valve
Manifold valve assembly (Solenoid Valve with Fittings and manifold) Cat. Nos. DCA or DCB , may be followed by 1 , 2 or 4 , may be followed by E , 3 , C or P , may be followed by P , R or 0 , may be followed by A or B , may be followed by -, may be followed by 1 to 19 digits chosen among: M , B , C , A , G , V , K , N , L , X , Y , MZ , BZ , CZ , AZ , GZ , VZ , KZ or NZ , may be followed by -, may be followed by 1 to 19 digits chosen among: T , A , B , D , E , F , L , X or Y , may be followed by -, may be followed by T , C , CS , D , DS , E , ES , F , FS , G or GS , may be followed by L or R , may be followed by -, may be followed by R .	General-purpose valve
D , Multi Pole Electrical Connection module - Cat. Nos. D , , followed by AM , followed by 4 , followed by T , followed by -, followed by M , or Q , 01 , 02 , 03 , 04 , 05 , 06 or 07 , followed by 0 or W .	General-purpose valve

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119953-2
Report Reference MH64041-20210330
Date 9-Nov-2021

D , Multi Pole Electrical Connection module - Cat. Nos. D, , followed by AM, followed by 1 or 2, followed by T, followed by -, followed by M, or Q, 01, 02, 03, 04, 05, 06 or 07, followed by 0 or W.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 1, 2 or 4, followed by E, 3, C or P, followed by VA, followed by -, followed by M, B, P, Q, C, A, G, N, V or K, followed by P, R or 0, followed by -, followed by T, A, B, D, E, F, may be followed by S.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 4, followed by E, followed by VC, followed by -, followed by M, B,C, A, G, V, K or N.	General-purpose valve
D , Pilot valve assembly (Solenoid Valve) - Cat. Nos. D, , followed by 1, or 2, followed by E, followed by VC, followed by -, followed by M, B, C, A, G, V, K or N, followed by P or R.	General-purpose valve
D , Series D1, Type no. DM, f/b C, f/b 1, f/b 01, 03, 04, 05, 06 or 07, f/b 0 or W, f/b P or R, f/b A or B, f/b -, may be f/b: a digit from 1 to 9, may be f/b 0, A, B, C, D, E, F, G, H, L, M, Q or R. f/b -, may be f/b: a digit from 1 to 9, may be f/b A or B, may be f/b Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b C or CS, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
D , Series D4, Type no. DM, f/b C, f/b 4, f/b 01, 03, 04, 05, 06, 07, f/b 0 or W, f/b P or R, f/b A, B, C or D, f/b -, may be f/b: a digit from 1 to 9, may be f/b 0, A, B, C, D, E, F, G, H, L, M, Q or R. f/b -, may be f/b: a digit from 1 to 9, may be f/b K, C, D, E or F, may be f/b Q, R, S, X, XS or XH. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b K, D, E, F or G, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
D , Series D1, Type no. DM, f/b C, f/b 1, f/b M or Q, f/b 0 or W, f/b P or R, f/b A or B, f/b -, f/b 0, 03R, 05R, 10R, 15R, 20R or 25R, f/b -, may be f/b: a digit from 1 to 9, may be f/b A or B, may be f/b Q, R, S, QT, RT, ST, X, XH or XT. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b C or CS, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
D , Series D4, Type no. DM, f/b C, f/b 4, f/b M or Q, f/b 0 or W, f/b P or R, f/b A, B, C or D, f/b -, f/b 0, 03R, 05R,	General-purpose valve

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119953-2
Report Reference MH64041-20210330
Date 9-Nov-2021

10R, 15R, 20R or 25R, f/b -, may be f/b: a digit from 1 to 9, may be f/b K, C, D, E or F, may be f/b Q, R, S, X, XS or XH. f/b -, may be f/b: a digit from 1 to 9, may be f/b M, B, C, A, G, V, K, N or L. f/b -, f/b K, D, E, F or G, may be f/b R (Note - items after ':' may be repeated as many times as the number of modules used to compose the assembly).	
Series D2 , Type no. DM, , followed by C, followed by 2, followed by 01, 03, 04, 05, 06 or 07, followed by 0 or W, followed by P or R, followed by A or B, followed by -, may be followed by: a digit from 1 to 9, may be followed by 0, A, B, C, E, F, G, H, L, M, Q, R, T or U. followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C or D, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
Series D5 , Type no. DM, , followed by C, followed by 5, followed by 01, 03, 04, 05, 06, 07, followed by 0 or W, followed by P or R, followed by A or B, followed by -, may be followed by: a digit from 1 to 9, may be followed by 0, A, B, C, E, F, G, H, L, M, Q, R, T or U. followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C, D, N or M, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by C, D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
Series D2 , Type no. DM, , followed by C, followed by 2, followed by M or Q, followed by 0 or W, followed by P or R, followed by A or B, followed by -, followed by 0, 03R, 05R, 10R, 15R, 20R or 25R, followed by -, may be followed by: a digit from 1 to 9, may be followed by A or B, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by D, E or F, may be followed by S, may be followed by R.(Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).	General-purpose valve
Series D5 , Type no. DM, , followed by C, followed by 5, followed by M or Q, followed by 0 or W, followed by P or	General-purpose valve



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119953-2
Report Reference MH64041-20210330
Date 9-Nov-2021

R, followed by A or B, followed by -, followed by 0, 03R, 05R, 10R, 15R, 20R or 25R, followed by -, may be followed by: a digit from 1 to 9, may be followed by B, C, D, N or M, may be followed by Q, R, S, QT, RT, ST, QH, RH, SH, X, XH or XT. followed by -, may be followed by: a digit from 1 to 9, may be followed by M, B, C, A, G, V, K, N or L. followed by -, followed by C, D, E or F, may be followed by S, may be followed by R. (Note items after ':' may be repeated as many times as the number of modules used to compose the assembly).



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

