

The undersigned, representative of the following manufacturer

### Camozzi spa

Via Eritrea, 20/l 25126 Brescia – Italy Tel: +39 030 37921 Fax: +39 030 2400464 E-mail: info@camozzi.com http://www.camozzi.com

herewith declares that the products:

## Solenoid valves Series A – 3 – 4 - 9

assembled with the solenoid versions reported on the last page

# The object of the declaration described above is in conformity with the relevant Union harmonisation legislation::

2014/30/EU	DIRECTIVE 2014/30/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility
2014/35/EU * where applicable	DIRECTIVE 2014/35/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits and that all the standards

and that all the standards and/or technical specifications indicated on page 2 are applicated.

This declaration of conformity is issued under the sole responsibility of the manufacturer

Brescia Italy 26/08/2016

CAMOZZI SPA

Fabio Bottarelli

Product Manager Bbb Bal



# Reference relative to the standards and/or technical specifications, or parts of them, used for the present declaration of compliance

Reference Number	Date of issue	Title
EN 60730-1	2011	Automatic electrical controls for household and similar use — Part
		1: General requirements
EN 60730-2-8	2002	Automatic electrical controls for household and similar use — Part
		2-8: Particular requirements for electrically operated water valves,
		including mechanical requirements
EN 60730-2-8 – A1	2003	Amendment A1:2003 to EN 60730-2-8:2002



# EU declaration of conformity

86-3720-0002 Rev. E

#### 22 mm Solenoid versions:

#### U7 series solenoids

Model	Voltage and Power
U710	110V DC 3,2W
U7H	12V DC 3,1W
0/11	24V AC 50/60Hz 3,5VA
U77	24V DC 3,1W
0//	48V AC 50/60Hz 3,8VA
U73	24V DC 5W
U76	110V DC 4,2W
U79	48V DC 3,1W
	125V AC 50/60Hz 5,5VA
U7K	110V AC 50/60Hz 3,8VA
	72V DC 4,8W
U72	12V DC 5W
U74	48V DC 5,3W
U71	6V DC 5,1W
U7J	230V AC 50/60Hz 3,5VA
073	240V AC 50/60Hz 4VA
U7F	380V AC 50/60Hz 7VA

### A7 series solenoids

Model	Voltage and Power
A7E	220V AC 50/60Hz 7,0VA
A7J	220V AC 50/60Hz 4,0VA
A77	24V DC 3,1W

#### 30 mm Solenoid versions:

### A8 series solenoids

Model	Voltage and Power
A8B	24V - 50/60Hz 5VA
A8D	110V - 50/60Hz 5VA
A8E	220V - 50/60Hz 5VA
A83	24V DC 4W

#### G7 series solenoids

Model	Voltage and Power
G710	110V DC 3,2W
G7H	12V DC 3,1W
<u> </u> б/п	24V AC 50/60Hz 3,5VA
G77	24V DC 3,1W
	48V AC 50/60Hz 3,8VA
G73	24V DC 5W
G76	110V DC 4,2W
G79	48V DC 3,1W
	125V AC 50/60Hz 5,5VA
G7K	110V AC 50/60Hz 3,8VA
	72V DC 4,8W
G72	12V DC 5W
G7J	230V AC 50/60Hz 3,5VA
375	240V AC 50/60Hz 4VA

#### G93 series solenoids

Model	Voltage and Power
G93	24V DC 4W

### 32 mm Solenoid versions

Only for SOLENOID VALVES SERIES 4 (C version),:

Model	Voltage and Power
A6B	24V 50/60Hz 11,7 VA
A6C	48V 50/60 Hz 11,7 VA
A6D	110V 50/60 Hz 11,7 VA
A6E	230V 50/60 Hz 11 VA
A62	12V DC 9,86 W
A63	24V DC 10,4W
A64	48V DC 10,33W
A66	110V DC 9,9W