

86-3720-0001 Rev. C

Pag. 1 di 4



The undersigned, representative of the following manufacturer

Camozzi spa

Via Eritrea, 20/l 25126 Brescia – Italy Tel: +39 030 37921 Fax: +39 030 2400464

E-mail: info@camozzi.com http://www.camozzi.com

herewith declares that the product:

Valve islands Series Y

(Multipole - PROFIBUS - CAN OPEN version)

(see a detailed identification of the models on page 3 and 4)

results to be in conformity with the provisions of the following European Community's directive:

2004/108/EC

DIRECTIVE 2004/108/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 15 DECEMBER 2004 ON THE APPROXIMATION OF THE LAWS OF THE MEMBERS STATES RELATING TO ELECTROMAGNETIC COMPATIBILITY AND REPEALING DIRECTIVE 89/336/EEC

and that all standards and/or technical specifications indicated on page 2 have been applied

Brescia, 2009/02/18

CAMOZZI SPA

Camozzi Giovanni

1st emission 2005/04/15



86-3720-0001 Rev. C

Pag. 2 di 4

Reference relative to the standards and/or technical specifications, or parts of these, used for the present declaration of compliance:

Harmonised Standards:

| Ref. Number | Date of issue | Title |
|--------------|---------------|--------------------------------------------------------------------------------------------------------------------|
| EN 61000-6-2 | 2005 | Electromagnetic compatibility (EMC) — Part 6-2: Generic standards — Immunity for industrial environments |
| EN 61000-6-4 | 2007 | Electromagnetic compatibility (EMC) — Part 6-4: Generic standards — Emission standard for industrial environments |
| EN 61131-2 | 2007 | Programmable controllers — Part 2: Equipment requirements and tests |
| EN 61326-1 | 2006 | Electrical equipment for measurement, control and laboratory use — EMC requirements — Part 1: General requirements |



86-3720-0001 Rev. C

Pag. 3 di 4

Identification of the models

Example: YP1M - MMMMMMMM-C

To be converted in:

YP1M-8M-C

| (1) TYPE OF ELECTRICAL CONNECTION | | |
|-----------------------------------|---|--|
| Individual connection | K | |
| Multipole (PNP) | М | |
| Profibus-Dp | Р | |
| Device-Net (in preparation) | D | |
| Can-Open (in preparation) | С | |
| AS-i (in preparation) | A | |
| Expansion | E | |

| (2) VALVE TYPE SELECTION | | |
|-----------------------------------------------------------------|----|--|
| 5/2 Monostable | М | |
| 5/2 Bistable | В | |
| 5/3 C.C. | V | |
| 2 x 2/2 1 N.O. + 1 N.C. | I | |
| 2 x 2/2 N.C. | Е | |
| 2 x 2/2 N.O. | F | |
| 2 x 3/2 1 N.O. + 1 N.C. | G | |
| 2 x 3/2 N.C. | С | |
| 2 x 3/2 N.O. | Α | |
| Free position | L | |
| Module for additional supply | Х | |
| Diaphragm seal (module's separation) | T | |
| Through seal (module's separation) | Р | |
| Diaphragm seal (separation of both modules and covers) | T/ | |
| Through seal (separation of both modules and covers) | P/ | |
| Additional supply from 2 and 4 | W | |
| Diaphragm seal 3/5 open | U | |
| Diaphragm seal 3/5 open (separation of both modules and covers) | U/ | |
| Two position module with pressure separation | 0 | |



86-3720-0001 Rev. C

Pag. 4 di 4

| (3) SELECTION OF TERMINAL PLATES | | |
|--------------------------------------------------------|---|--|
| in-line | | |
| in common 1/11 - 12/14 | | |
| individual 82/84 - 3/5 | Α | |
| in common 1/11 | | |
| individual 12/14 - 82/84 - 3/5 | В | |
| individual 1/11 - 12/14 - 82/84 - 3/5 | С | |
| in common 1/11 - 12/14 connection right | D | |
| individual 82/84 - 3/5 connection right | | |
| in common 1/11 connection right | E | |
| individual 12/14 - 82/84 - 3/5 connection right | | |
| individual 1/11 - 12/14 - 82/84 - 3/5 connection right | F | |
| in common 1/11 - 12/14 connection left | | |
| individual 82/84 - 3/5 connection left | G | |
| in common 1/11 connection left | Н | |
| individual 12/14 - 82/84 - 3/5 connection left | | |
| individual 1/11 - 12/14 - 82/84 - 3/5 connection left | J | |
| modules without terminal plates | Z | |