



**Declaration for products out of
scope of Directive Atex
2014/34/EU**

86-3620-0018 Rev. D

Pag. 1 of 7

Declaration with regards to Directive "2014/34 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014 on the harmonisation of the laws of the Member States relating to equipment and protective systems intended for use in potentially explosive atmospheres".

The undersigned, representing the following manufacturer:

Camozzi spa

Via Eritrea, 20/l
25126 Brescia – Italy
Tel: +39 030 37921
Fax: +39 030 2400464
E-mail: info@camozzi.com
http://www.camozzi.com

Under his own responsibility and in accordance with the views expressed by the European Community in the document: "first edition of the ATEX 2014/34 / EU Guidelines" of April 2016, in the chapter § 38 states the following:

With the entry into force of Directive 2014/34 / EU on the date of 20th of April 2016 it was also published the guide to application of the directive.

In the new edition of the guide is clarified the position of certain products which at first were not expressly excluded from the scope of the equipment not having itself any source of ignition. (hand-operated valves, pressure relief valves , filters and regulators)

Therefore, some valves, regulators, filtering and lubricating groups are explicitly excluded from the scope of the Directive.

The products listed below therefore do not fall within the scope of Directive 2014/34 / EU and therefore do not require marking as it does not possess its own source of ignition

N.B. for information purposes, you can download the guide at the following address:

<http://ec.europa.eu/DocsRoom/documents/16402/attachments/1/translations/en/renditions/pdf>

Brescia , 17th/10/2016

Camozzi SPA

Product Certification Manager
Fabrizio Guerrini



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 2 of 7

In order to ensure a correct assessment please take account of possible ignition sources that can be generated through the installation or use of the products, such as:

- Impact or frictional process on the products or their connection components can generate mechanical sparks or hot surfaces.
- Charge generating processes that can create static charge or eddy currents within the products
- Difference of potential energy between conductive objects not connected to the equipotential bonding system or if there is no electrical connection with installation components.
- The devices can only operate on compressed air. Compressed air must not be drawn from a potentially explosive atmosphere.
- The out flowing exhausts air and leakages can cause dust deposits, creating in some cases potentially explosive dust atmosphere

Product type	Models / Series	Type / Description	Reference Series	ATEX ZONE PERMITTED
Brackets	B-8-10 / B-12-16 / B-20-25	Feet mounting	Series 16-24-25	1,21,2,22
	B-31-12-16 / B-32-20 / B-31-25 / B-31-32 / B-31-40 / B-31-50 / B-31-63 / B-31-80 / B-31-100		Series 32-31	
	B-27-20 / B-27-25 / B-27-32 / B-27-40 / B-27-50 / B-27-63		Series 27	
	B-41-32 / B-41-40 / B-41-50 / B-41-63 / B-41-80 / B-41-100 / B-41-125 / B-41-160 / B-41-200 / B-41-250 / B-41-320		Series 40-41-60-61-62-32	
	B-QP-32 / B-Q-40 / B-QP-50 / B-QP-63 / B-QP-80 / B-QP-100		Series QP	
	E-8-10 / E-12-16 / E-20-25	Flange mount	Series 16-24-25	
	I-8-10 / I-12-16 / I-20-25	Rear trunnion	Series 16-24-25-32-31	
	I-27-20 / I-27-25 / I-27-32 / I-27-40 / I-27-50 / I-27-63		Series 27	
	I-42-32 / I-42-40 / I-42-50 / I-42-63	Trunnion	Series 42	
	P-42-32 / P-42-40 / P-42-50 / P-42-63	Foot mount/flange	Series 42	
D-E-41-32 / D-E-41-40 / D-E-41-50 / D-E-41-63 / D-E-41-80 / D-E-41-100 / D-E-41-125 / D-E-41-160 / D-E-41-200 / D-E-41-250 / D-E-41-320	Flange	Series 40-41-60-61-62-32		
Brackets	D-E-31-12-16/ D-E-31-32/ D-E-31-40 / D-E-31-50 / D-E-31-63 / D-E-31-80 / D-E-31-100	Flange mount	Series 31	1,21,2,22
	D-E-32-20 / D-E-32-25		Series 32-31	
	C-H-41-63 / C-H-41-80 / C-H-41-100 / C-H-41-125 / C-H-41-160 / C-H-41-200 / C-H-41-250 / C-H-41-320	Female trunnion	Series 40-41-60-61-62-32	
	L-41-32 / L-41-40 / L-41-50 / L-41-63 / L-41-80 / L-41-100 / L-41-125 / L-41-160 / L-41-200 / L-41-250 / L-41-320	Male trunnion	Series 40-41-60-61-62-32	
	L-32-20 / L-32-25		Series 32	
	L-31-12-16 / L-31-20 / L-31-25		Series 31	
	L-QP-32 / L-QP-40 / L-QP-50 / L-QP-63 / L-QP-80 / L-QP-100		Series QP	
	F-160 / F-200 / F-250 / F-320 / F-41-160 / F-41-200	Intermediate trunnion	Series 40-41	
	F-32 / F-40 / F-50 / F-63 / F-80 / F-100 / F-125		Series 60	
	F-61-32 / F-61-40 / F-61-50 / F-61-63 / F-61-80 / F-61-100 / F-61-125		Series 61	



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 3 of 7

	DC-31-12-16 / DC-31-20 / DC-31-25 / DC-31-32 / DC-31-40 / DC-31-50 / DC-31-63 / DC-31-80 / DC-31-100	Intermediate Flange	Series 31	
	ZS-160 / ZS-200	90° Swivel combination	Series 40-41	
	C-41-32 / C-41-40 / C-41-50 / C-31-32 / C-31-40 / C-31-50 / C-31-63 / C-31-80 / C-31-100	Rear female trunnion	Series 60-61-62-32	
Brackets	H-41-32 / H-41-40 / H-41-50 / H-60-63	Front Female Trunnion	Series 31	
Brackets	R-41-32 / R-41-40 / R-41-50 / R-41-63 / R-41-80 / R-41-100 / R-41-125	Rear Trunnion ball joint	Series 60-61-62-32	
Brackets	T-27-50 / T-27-63	with threaded pins	Series 27	
	T-42-32 / T-42-40 / T-42-50 / T-42-63		Series 42	
Joints	G-8-10 / G-12-16 / G-20 / G-25-32 / G-40 / G-50-63 / G-80-100 / G-41-125 / G-160-200 / G-250 / G-320	Rod fork	Series 16-24-25-40-41-60-61-62-32-31-27-42	
Joints	GA-8-10 / GA-12-16 / GA-20 / GA-32 / GA-40 / GA-50-63 / GA-80-100 / GA-41-125 / GA-160-200 / GA-250 / GA-320	Swivel ball joint	Series 16-24-25-40-41-60-61-62-32-31-27-42	
Joints	GY-12-16 / GY-20 / GY-32 / GY-40 / GY-50-63 / GY-80-100	Piston rod socket joint	Series 16-24-25-60-61-62-32-31-27-42	
Joints	GK-20 / GK-25-32 / GK-40 / GK-50-63 / GK-80-100	Self aligning	Series 16-24-25-60-61-62-32-31-27-42	
Joints	GKF-20 / GKF-25-32 / GKF-40 / GKF-50-63 / GKF-80-100 / GKF-125	Coupling pieces	Series 16-24-25-60-61-62-32-31-27-42	
Rod nut	U-8-10 / U-12-16 / U-20 / U-25-32 / U-40 / U-50-63 / U-80-100 / U-41-125 / U-160-200 / U-250 / U-320	-	Series 16-24-25-40-41-60-61-62-32-31-27-42	
Nose nut	V-8-10 / V-12-16 / V-20-25 / V-27-25	-	Series 16-24-25-27	
	V-42-32 / V-42-40 / V-42-50-63	-	Series 42	
Support	BF-32 / BF-40-50 / BF-63-80 / BF-100-125 / BF-160-200	Intermediate trunnion	Series 40-41-60-61	
	ZC-32 / ZC-40 / ZC-50 / ZC-63 / ZC-80 / ZC-100 / ZC-125	90° Female trunnion	Series 60-61-62-32-31	
Accessories	PCV-32 / PCV-40-50 / PCV-63-80	Valve mounting for cylinders	Series 60	1,21,2,22
	PCV-61-K3 / PCV-61-K4 / PCV-62-K-EN / PCV-61-K8	Valve mounting for cylinders	Series 61	
	PCV-62-K3 / PCV-62-K4 / PCV-62-KEN / PCV-62-K8 /	Valve mounting for cylinders	Series 62	
Bush	TR-32-32 / TR-32-40 / TR-32-50 / TR-32-63 / TR-32-100 /	Centring sleeve	Series 32	
Centring pin	TS-32-20		Series 32	
Clevis pin	S-32 / S-40 / S-50 / S-63 / S-80 / S-100 / S-125 / S-160-200 / S-250 / S-320	For brackets	Series 40-41-60-61-62-32	
Adapters	S-CST-01 / S-CST-02 / S-CST-03 / S-CST-04 / S-CST-05 / S-CST-06 / S-CST-07 / S-CST-08 / S-CST-09 / S-CST-10 / S-CST-11 / S-CST-12 / S-CST-13 / S-CST-14 / S-CST-15 / S-CST-16 / S-CST-17 / S-CST-18 / S-CST-19 / S-CST-20 / S-CST-21 / S-CST-22 / S-CST-23 / S-CST-24 / S-CST-25 / S-CST-26 / S-CST-27 / S-CST-28 / S-CST-45N1 / S-CST-45N2	Sensor adapters	Series CST-CSH-24-25-27-42-QP-QPR-60-40	2,22
Cover profile	S-CST-500	Slot cover profile	Series 31-61-32-	
Extension	CS	Extension cable for sensors max 500 mm	Series CST-CSH-CSV	
Cap	K000-TP	Excluder	Series K	1,21,2,22
	P000-TP		Series P	
	TP-E521		Series E	
	TP-E520			



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 4 of 7

	CNVL/*	Manifold	Series 3-4	
	TCNVL		Series 3-4	
	901-* /902-*	Separation	Series 9	
Seal	901-*	Separation	Series 9	
Diaphragm	CNVL-*	Separation	Series 3-4	
Manifold / Sub-base	K001-02	Single	Series K	
	P001-02		Series P	
	E520-0101		Series E	
	K1*	Single for Manifold valve	Series K	
	P1*	Single rear ports / lateral	Series P	
	P2*	Double rear ports / lateral	Series P	
	E52*	Body ported /Sub-base valve	Series E	
	CNV	Separated exhausts	Series 3-4	
	CNVL	Initial module, final module, intermediate module, interface for additional inlets and outlets	Series 3-4	
		901-* /902-*	Single, terminal plates, interface	Series 9
	NA54-PC	Single	Series NAMUR	
	YA1KN*	Interface 8,6,4,2		
Connector	121-800	-	Series K-Y	
	126-800	-	Series W	
	125-900	-	Series P	
	125-800	-	Series P	
	G3X	Straight 15 pins Multipole	Series Y	
	G4X	Straight 25 pins Multipole		
	G4X1	Angolari a 90 ° 25 poli multipolare		
	CS-*	M12 4 e 5 pins female straight and 90° for Bus-In		
	CS-FP05H0	M9 male with terminal resistance		
	CS-AA03EC	Profibus DP data line tee		
	CS-AA05EC	Canopen e Devicenet data line tee		
	CS-FZ03AD-C500	Programming cable		
	G8X3-G8W-1	USB – Serial converter for programming cable		
Plate	PCF	Mounting brackets DIN rail	Series E-Y	
	PCP-E521	supply separation 1	Series E	
	PCP-E520	supply separation 1		
	PCS-E521	Separated inlet 3 and 5		
	PCS-E520	Separated inlet 3 and 5		
	901-TP	Covering	Series 9	
	2LQ-8A	Rightangled bracket	Series 2L	
Foot	B1-E521	Horizontal mounting	Series E	
	B2-E521	Vertical mounting		
	YA1K-B2	Vertical Foot	Series Y	
	YA1K-B1	Horizontal foot		
Pressure Regulators	MX2-3/8-R... / MX2-1/2-R... / MX2-3/4-R... / MX3-3/4-R... / MX3-1-R... / MX2-1/2-M...	Hand operated	Series MX	1,21,2,22
Pressure Regulators	MC104-R.. / MC238-R.. / MC202-R..	Hand operated	Series MC	1,21,2,22



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 5 of 7

Pressure Regulators	MC104-M..	Manifold	Series MC	1,21,2,22
Pressure Regulators	CLR 1/8-4 / CLR 1/8-6 / CLR 1/8-8 / CLR 1/4-6 / CLR 1/4-8	Micro	Series CLR	1,21,2,22
Pressure Regulators	CLR 1/8 / CLR 1/4	Micro without banjo	Series CLR	1,21,2,22
Pressure Regulators	M008-R.. / M004-R..	Hand operated	Series M	1,21,2,22
Pressure Regulators	T108-R.. / T104-R..	Hand operated	Series T	1,21,2,22
Precision Regulators	PR104-M..	Hand operated	Series PR	1,21,2,22
Pressure Regulators	N1208-R.. / N1204-R..	Hand operated	Series N	1,21,2,22
Pressure Regulators	MD1-R...-.-.	Hand operated	Series MD	1,21,2,22
Pressure Regulators	MD1-M...-.-.	Hand operated for manifold	Series MD	1,21,2,22
Filters	MX2-3/8-F.. / MX2-1/2-F.. / MX2-3/4-F.. / MX3-3/4-F.. / MX3-1-F..		Series MX	1,21,2,22
Filters	MX2-3/8-FC.. / MX2-1/2-FC.. / MX2-3/4-FC.. / MX3-3/4-FC.. / MX3-1-FC..	Coalescing	Series MX	1,21,2,22
Filters	MX2-3/8-FCA / MX2-1/2-FCA / MX2-3/4-FCA / MX3-3/4-FCA / MX3-1-FCA	Activated carbon	Series MX	1,21,2,22
Filters	MC104-F.. / MC238-F.. / MC202-F.. /		Series MC	1,21,2,22
Filters	MC104-FB. / MC238-FB. / MC202-FB.	Oil separator	Series MC	1,21,2,22
Filters	MD1-F0... / MD1-F1...		Series MD	1,21,2,22
Filters and oil separator filters	N108-F.. / N104-F.. / N208-F.. / N204-F..	Coalescing	Series N	1,21,2,22
Filters	MD1-FC0... / MD1-FC1...	Coalescing	Series MD	1,21,2,22
Filters	MD1-FCA0-. / MD1-FCA1-.	Activated carbon	Series MD	1,21,2,22
Filter-regulators	MX2-3/8-FR.... / MX2-1/2-FR.... / MX2-3/4-FR.... / MX3-3/4-FR.... / MX3-1-FR....	-	Series MX	1,21,2,22
Filter-regulators	MC104-D... / MC238-D... / MC202-D... /	Of pressure	Series MC	1,21,2,22
Filter-regulators	N108-D... / N104-D... / N208-D... / N204-D... /	Of pressure	Series N	1,21,2,22
Filter-regulators	MD1-FR....-	Of pressure	Series MD	1,21,2,22
Functioning condensate drains and filtering elements	N10...-F / N10...-D / N10...-FB / N20...-F / N20...-D / N20...-FB / MC104-F / MC104-D / MC104-FB / MC202-F / MC202-D / MC202-FB / MC238-F / MC238-D / MC238-FB / MX2...-F / MX2...FR / MX2...-FC / MX2...-FCA / MX3...-F / MX3...-FR / MX3...-FC / MX3...-FCA		Series MC , N ,MX	1,21,2,22
Valves	MX2-3/8-V01 / MX2-1/2-V01 / MX2-3/4-V01 / MX3-3/4-V01 / MX3-1-V01	Lockable isolation 3/2-way valves hand operated	Series MX	1,21,2,22
Valves	MD1-V 01-.	Lockable isolation, hand operated	Series MD	1,21,2,22
Valves	MX2-3/8-AV / MX2-1/2-AV / MX2-3/4-AV / MX3-3/4-AV / MX3-1-AV	Soft start	Series MX	1,21,2,22
Valves	MD1-AV-.	Soft start	Series MD	1,21,2,22
Valves	MC104-V01 / MC238-V01 / MC202-V01	Lockable isolation - manual version	Series MC	1,21,2,22
Valves	MC104-AV / MC238-AV / MC202-AV	Soft start	Series MC	1,21,2,22
Blocks	MX2-1/2-B* / MX3-1-B*	Take-off	Series MX	1,21,2,22
Blocks	MC1-B / MC1-B-VNR / MC2-B / MC2-B-VNR	Take-off	Series MC	1,21,2,22
Bloks	MD1-B00-.	Take-off	Series MD	1,21,2,22
Lubricators	MX2-3/8-L00 / MX2-1/2-L00 / MX2-3/4-L00 / MX3-3/4-L00 / MX3-1-L00		Series MX	1,21,2,22
Lubricators	MC104-L00 / MC238-L00 / MC202-L00		Series MC	1,21,2,22
Lubricators	N108-L00 / N104-L00 / N208-L00 / N204-L00		Series N	1,21,2,22



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 6 of 7

Lubricators	MD1-L00- / MD1-L10-		Series MD	1,21,2,22
Foot operated valve	234-925 / 235-925	Pneumatic	series 2	1,21,2,22
Minivalves	234-905 / 235.905 / 234-990 / 235-990 / 234-895 / 234-975 / 234-972 / 235-972 / 284-870 / 285-870 / 234-904 / 235-904 / 234-9054 / 235-9054	Manually operated console	Series 2	1,21,2,22
Valves	338-990 / 358-990 / 338-895 / 338-896 / 338-897 / 358-895 / 358 896 / 358-897 / 338-975 / 338-976 / 338-977 / 358-975 / 358-976 / 358-977 / 338-910 / 338-915 / 358-910 / 358-915 / 338-900 / 338 905 / 358-900 / 358-905 / 368-900 / 368-905 / 378-900 / 378-905 / 434-910 / 434-915 / 454-910 / 454-915 / 434-900 / 434-905 / 454-900 / 454-905 / 464-900 / 464-905 / 474-900 / 474-905 / 138-935 / 138-900 / 158-900 / 134-935 / 134-900 / 154-900	manually operated valves	Series 1 , 3 , 4	1,21,2,22
Valves	2LD-SB4-B / 2LR-SB4-B / 2LS-SB4-B / 2LT-SB4-B / 2LM-SB4-B / 2LA-AM / 2LB-SE / 2LB-SR	Basic logic	Series 2L	1,21,2,22
Valves	VMS	Valvola 3/2 comandata manualmente	-	1,21,2,22
	SCU / MCU / PSCU / PMCU / TMCU / GSCU / GMCU /	Unidirectional flow controllers	-	
	SVU / MVU / PSVU / PMVU / TMVU / GSVU/ GMVU	Unidirectional flow controllers	-	
	SCO / MCO / PSCO / PMCO / TMCU / GSCO	bidirectional flow control valves	Cylinders and valves	
	GMCO			
	2905	Silencing bush	Series SCO-MCO	
	RFU	Unidirectional flow control valves	Cylinders	
	RFO	Bidirectional flow control valves		
	2810 / 2820 / 2830 / 2819 / 2829 / 2839	Bidirectional flow control valves		
Indicators	2950	Of pressure		1,21,2,22
Automatic valves	SCS	Circuit selectors		1,21,2,22
	VNR	unidirectional valves		
	VSO / VSC	Quick exhaust valves		
	VMR	Valve with maximum adjustable pressure		
Blocking valves	VBO	Bidirectional blocking valve		1,21,2,22
	VBU	Unidirectional blocking valve		
Silencers	2901 / 2903 / 2921 / 2938 / 2939 / 2905 / RSW	-		1,21,2,22
Pressure gauges	M043 / M053 / M063	Radial and rear connection , panel fixing		1,21,2,22
Flange	MX3-3/4-FL MX3-1-FL MX2-1/2-FL MX2-3/8-FL	Terminal Flange (IN/OUT)	Series MX	1,21,2,22
	MC-104-FL / MC-238-FL / MC-202-FL	Flange terminali	Series MC	1,21,2,22
Rapid clamps kit	MX3-X / MX3-Z / MX2-X / MX2-Z	Rapid clamps	Series MX	1,21,2,22
	MX3-Y / MX2-Y	Rapid clamps kit with wall fixing brackets		
	MX3-3/4-HH MX3-1- HH MX2-1/2- HH MX2-3/8- HH	Rapid clamps kit + flange		
	MX3-3/4-KK / MX3-1- KK / MX2-1/2- KK MX2-3/8- KK	Rapid clamps kit with wall fixing brackets + flanges		



Declaration for products out of scope of Directive Atex 2014/34/EU

86-3620-0018 Rev. D

Pag. 7 of 7

	MX3-3/4-JJ / MX3-1- JJ / MX2-1/2- JJ MX2-3/8- JJ	Rapid clamps kit + flanges		
Bracket	MX3-S / MX2-S	Fixing bracket for regulators		
	C434-FL	Fixing bracket	Series MC	1,21,2,22
	C114-ST C114-ST/1 C114-ST/2	Fixing bracket	Series MC-M-N-T	
	C238-ST/1	Fixing bracket	Series MC238 - MC202	
	N204-ST	Fixing bracket		
Tie rods	MC1-TMF / MC2-TMF / MC1-TFF / MC2-TFF	Tie-rods for assembling	Series MC	1,21,2,22
Screws	MC1-VM / MC2-VM / MC1-VMF / MC2-VMF / MC1-VMD / MC2-VMD	Fixing screws	Series MC	1,21,2,22
Super rapid fittings Series 6000, 6000Micro, S6000, 7000 e 8000	S6510 / S6520 / S6500 / S6430 / S6440 / S6450 / S6110	Super rapid		1,21,2,22
	6512 / 6463 / 6522 / 6525 / 6621 / 6501 / 6432 / 6442 / 6451 / 6622 / 6632 / 6620 / 6610 / 6811 / 6590 / 6580 / 6593 / 6550 / 6550 / 6540 / 6600 / 6900 / 6560 / 6700 / 6750 / 6850 / 6800 / 6950 / 6555 / 6708			
	7522 / 7526 / 7442 / 7432 / 7542 / 7562 / 7572 / 7622 / 7652 / 7610 / 7640 / 7632 / 7612 / 7642 / 7800 / 7555 / 7580 / 7550 / 7540 / 7545 / 7560 / 7575 / 7950	Tecnopolymer Super rapid compact		
	8512 / 8522 / 8432 / 8580 / 8540 / 8550	Super rapid double sealed fittings		
Rapid fittings	1510 / 1511 / 1560 / 1463 / 1541 / 1500 / 1501 / 1493 / 1431 / 1410 / 1420 / 1521 / 1525 / 1610 / 1620 / 1631 / 1635 / 1580 / 1590 / 1550 / 1540 / 1600 / 1470	Series 1000		1,21,2,22
Universal nose fittings Series 1000	1050 / 1063 / 1020 / 1093 / 1000 / 1010 / 1230 / 1250 / 1220 / 1210 / 1170 / 1310 / 1320 / 1303 / 1320			1,21,2,22
Series S2000 pipe fittings Sprint	S2500 / S2530 / S2520 / S2510 / 2541 / S2010 / S2020 / S2040 / S2060 / S2070 / S2080 / S2090 / S2610 / S2615	Sprint pipe fittings		1,21,2,22
Series 2000 Fittings	2500 / 2501 / 2510 / 2520 / 2521 / 2511 / 2525 / 2530 / 2531 / 2543 / 2553 / 2611 / 2610 / 2613 / 2601 / 2013 / 2010 / 2020 / 2021 / 2050 / 2060 / 2070 / 2080 / 2090 / 2003 / 2040 / 2023 / 2033 / 2043 / 3033 / 3043 / 3053	Pipe fittings		1,21,2,22
Super-rapid fittings	X6510 / X6512 / X6500 / X6520 / X6430 / X6522 / X6432 / X6580 / X6550 / X6540 / X6590 / X6800	Stainless steel made	Series X6000	1,21,2,22
Tubes	PV / TRN / TRH / TPE / TPC / TSP / MPL	Plastic tubes and terminal board		1,21,2,22
Series 5000 quick-release couplings	5051 / 5081 / 5052 / 5082 / 5053 / 5083 / 5054 / 5084 / 5055 / 5056 / 5086 / 5057 / 5087 / 5058 / 5088 / 5150 / 5180 / 5350 / 5380 / 5450 / 5480 / 5650 / 5680 / 5750 / 5780 / 5850 / 5880	Series 5000		1,21,2,22
Aluminium Washer	2651 / 2661 / 2665 / 2669			1,21,2,22
Blocking nut	1703 / 1723		Series 1000 fittings	1,21,2,22
	1303		Series 1000 universal nose fittings	